

Justin L. Rider, DDS, PLLC — General Dentist Providing Oral Surgery Services —

1517 N. Wilmot Rd, Suite 149 · Tucson, AZ 85712

Ofc # Voice Mail: 520.336.2286		D-99-1125 DEA Reg. No. FR37833_ n@riderdds.com Web: www.riderdd	
Name		Birthdate	
Address		Date	
Penicillin VK 500 mg. Clindamycin 150 mg.	Disp. #30 (Thirty)		sp. #3 (Three)
Take 1 antibiotic tablet every 6 hours until they are all gone. (Start this medication within 24 hrs. after surgery; antibiotics may decrease the effectiveness of birth control pills.)		Take 3 tablets now to help reduce post- operative inflammation (pain and swelling).	
REFILL TIMES		REFILL TIMES	
DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN	DDS	DDS DISPENSE AS WRITTEN DDS DISPENSE AS WRITTEN	<u>os</u>
Peridex D	isp. 1 Pint (480 ml)	Zofran ODT 8 mg. Dis	Sp. #10 (Ten)
Rinse for 30 seconds with 1/2 to 1 ounce three times a day, until all gone. (Start this medication the day after surgery.) REFILL TIMES		Dissolve 1 tablet on tongue every 8 hours, as needed for nausea. (If nausea persists for more than 12 hours, contact Dr. Rider.) REFILL TIMES	
DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN	DDS	PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN	<u>08</u>
Ibuprofen 600 mg. Take 1 tablet every 6 hours for pain swelling.	Disp. #30 (Thirty) and/or		
REFILLTIMES		REFILL TIMES	
D.D.S. PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN	D.D.S.	DDS DISPENSE AS WRITTEN	<u>os</u>