

Justin L. Rider, DDS, PLLC — General Dentist Providing Oral Surgery Services — 9095 E. Tanque Verde, Suite 171-149 · Tucson, AZ 85749

Ofc #	NPI No. 1780-	-99-1125 DEA	A Reg. No. FR378	333
Voice Mail: 520.336.2286	Email: justin	@riderdds.com	Web: www.ri	derdds.com
Name		Birthdate		
Address		Date		
Ŗ				
Penicillin VK 500 mg. Clindamycin 150 mg.	Disp. #30 (Thirty)	Dexamethason	ne 4 mg.	Disp. #3 (Three)
Take 1 antibiotic tablet every 6 hours until they are all gone. (Start this medication within 24 hrs. after surgery; antibiotics may decrease the effectiveness of birth control pills.)		Take 3 tablets now to help reduce post- operative inflammation (pain and swelling).		
REFILL TIMES		REFILLTIMES		
DDS DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN		DDS DISPENSE AS WRITTEN DDS DISPENSE AS WRITTEN		
Peridex D	isp. 1 Pint (480 ml)	Zofran ODT 8	3 mg.	Disp. #10 (Ten)
Rinse for 30 seconds with 1/2 to 1 ounce three times a day, until all gone. (Start this medication the day after surgery.)		Dissolve 1 tablet on tongue every 8 hours, as needed for nausea. (If nausea persists for more than 12 hours, contact Dr. Rider.)		
REFILL TIMES		REFILL TIMES		
DDS DDS DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN		DDS DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN		
Ibuprofen 600 mg.	Disp. #30			
Take 1 tablet every 6 hours for pain and/or swelling.				
REFILL TIMES		REFILL TIMES		
D.D.S. D.D.S. PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN		DDS PRODUCT SELECTION PERMITTED DISPENSE AS WRITTEN		